

Instructions: Set up your UNI-DUE.DE mail-account in Thunderbird

Example: fresh installation of Thunderbird (version 102.6.1)

(pictures are from the Windows version)

After installing Thunderbird start the program

- Enter your name
- Enter your email address - usually in the form: FirstName.LastName@uni-due.de
- Your „new“ password for your so called UNIKENNUNG
- klick on: „*Configure manually*“

Settings for Incoming-Server:

The screenshot shows the 'INCOMING SERVER' settings panel. It includes fields for Protocol (IMAP), Hostname (mailbox.uni-due.de), Port (993), Connection security (SSL/TLS), Authentication method (Autodetect), and Username (john.doe@uni-due.de).

Username = your „Unikennung“

Hostname: mailbox.uni-due.de
or mailbox.uni-duisburg-essen.de

Port: 993 connection security:SSL/TLS

alternative:

Port: 143 connection security:STARTTLS

This screenshot shows alternative settings for the incoming server: Port set to 143 and Connection security set to STARTTLS.

Settings for Outgoing-Server:

The screenshot shows the 'OUTGOING SERVER' settings panel. It includes fields for Hostname (mailout.uni-due.de), Port (465), Connection security (SSL/TLS), Authentication method (Autodetect), and Username (john.doe@uni-due.de).

Username = your „Unikennung“

Hostname: mailout.uni-due.de
or mailout.uni-duisburg-essen.de

Port: 465 >> connection security: SSL/TLS

alternative:

Port: 587 >> connection security:STARTTLS

This screenshot shows alternative settings for the outgoing server: Port set to 587 and Connection security set to STARTTLS.

At the end of the setup, click "Done". The settings are tested and then the account is displayed in Thunderbird.